

城市	名称/地址	邮编	电话
上海市	上海建伍电子有限公司维修部中心	201613	02157745392
北京市	北京建伍技术服务中心	100071	010852125063
广州市	广州建伍广州技术服务中心	510070	02087317121
深圳市	深圳建伍维修中心	200127	020151001788
武汉市	武汉建伍维修站	110004	02424134128
哈尔滨市	哈尔滨建伍维修站	150016	045144287339
青岛市	青岛建伍维修站	266071	053285977910
乌鲁木齐市	乌鲁木齐建伍维修站	830002	09918771818
大连市	大连建伍维修站	116011	041183435014
石家庄市	石家庄建伍维修站	300201	02228272238
天津市	天津建伍维修站	050021	031186011797
广州市	广州建伍维修站	530001	07713118895
南宁市	南宁建伍维修站	610017	02886783905
成都市	成都建伍维修站	710068	02868412341
西安市	西安建伍维修站	400036	13193156776
重庆市	重庆建伍维修站	361004	05925170118
南京市	南京建伍维修站	210028	025966630368
宁波市	宁波建伍维修站	315010	057487320463
长沙市	长沙建伍维修站	410001	073184786871
南昌市	南昌建伍维修站	430013	02782822911
昆明市	昆明建伍维修站	330029	079186371931
郑州市	郑州建伍维修站	310017	057186016919
武汉市	武汉建伍维修站	210011	051082458675
广州市	广州建伍维修站	066000	020134171704
成都市	成都建伍维修站	350025	03531320365
	成都建伍维修站	510070	059183552561
	成都建伍维修站	610000	02087720483
	成都建伍维修站		02861811144

注：1) “*”表示分售点。

2) 单位名称中“维修”字样，仅供参考，不作为法律依据。

3) 上海建伍电子有限公司维修部中心为配件维修中心，不提供维修服务。

JVC/KENWOOD Corporation follows a policy of continuous advancement in technical development. For this reason, information contained in this catalogue and specifications may be changed without notice.

All screen pictures in the catalogue are simulated.
iPods, iPhones, SD cards, USB memory devices, CDs or any other accessories shown in this catalogue are not supplied, and must be purchased separately.

"iPhone" and "Pod" are trademarks of Apple Inc., registered in the U.S. and other countries.
"Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.

The Garmin logo is a trademark of Garmin Ltd. or its subsidiaries and is registered in one or more countries.
DVR, DVD, and associated logos are trademarks of Row Corporation or its subsidiaries and are used under license.

The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc.

Android™ is a trademark of Google Inc.

Miracast™ and the Miracast logo are certification marks of the Wi-Fi Alliance.
The Wi-Fi logo is a certification mark of the Wi-Fi Alliance.

All other brands, product names, logos or trademarks are the property of their respective holders.

建伍电子贸易(上海)有限公司
http://cn.kenwood.com

上海市浦东新区康桥三桥路19号中法大厦608室
Tel: 021-58828701 Fax: 021-58828711

北京分公司
北京市顺义区顺泰三桥路19号中法大厦608室
Tel: 010-65908280 Fax: 010-65908283

广州分公司
广州市天河区珠江新城时代广场309室
Tel: 020-38910215 Fax: 020-87530325

建伍(香港)有限公司
http://www.kenwoodhk.com.hk

香港新界荃湾康桥三桥路19号中法大厦608室
Tel: 0852-24104557 Fax: 0852-24242174

JVC/KENWOOD CORPORATION 日本总部
http://www.jvckenwood.com

日本神奈川县横滨市神奈川区守屋町三丁目12番地
Tel: 0081-45-508950 Fax: 0081-45-4502308



The cutting-edge

MOBILE ENTERTAINMENT SYSTEMS 2014

多媒体产品线

网络AV接收机产品线

内置Wi-Fi及蓝牙网络AV导航系统

DNR9350BT



旗舰产品
内置Garmin导航，完美的娱乐套装

DNR9350BT 主要特性

Built-in Wi-Fi	Wi-Fi	Kenwood Cloud	Front & Rear Camera Input	Direct Steering Remote
Built-in Apps	Wi-Fi Hotspot	Route Collector	1A High Current	High Voltage 5.0V
Android True Mirroring	1A High Current	Built-in Music Streaming	Perfectly Controlled Auto EQ	3 Presets
iPhone True Mirroring	Wi-Fi Hotspot	Set your trip plan before your ride	13 Band EQ	Advanced DSP
	Wi-Fi Hotspot	Auto Pairing via USB	Time Alignment	
	Wi-Fi Hotspot	Easy Pairing via Pre-sets		
	Wi-Fi Hotspot	2 Phones Call Time Connection		
	Wi-Fi Hotspot	Auto Pairing via USB		
	Wi-Fi Hotspot	Easy Pairing via Pre-sets		
	Wi-Fi Hotspot	2 Phones Call Time Connection		

最先进的特性、完美的显示技术、Hi-Fi音源打包推出

无内置Garmin导航版，“DNR”系列（双DIN网络接收机）

内置Wi-Fi及蓝牙网络接收机

DNR8035BT



DNR8035BT 和 DNR9350BT 主要特性

Built-in Wi-Fi	Wi-Fi	Kenwood Cloud	Front & Rear Camera Input	Direct Steering Remote
Built-in Apps	Wi-Fi Hotspot	Route Collector	1A High Current	High Voltage 5.0V
Android True Mirroring	1A High Current	Built-in Music Streaming	Perfectly Controlled Auto EQ	3 Presets
iPhone True Mirroring	Wi-Fi Hotspot	Set your trip plan before your ride	13 Band EQ	Advanced DSP
	Wi-Fi Hotspot	Auto Pairing via USB	Time Alignment	
	Wi-Fi Hotspot	Easy Pairing via Pre-sets		
	Wi-Fi Hotspot	2 Phones Call Time Connection		
	Wi-Fi Hotspot	Auto Pairing via USB		
	Wi-Fi Hotspot	Easy Pairing via Pre-sets		
	Wi-Fi Hotspot	2 Phones Call Time Connection		

丰田200mm内置Wi-Fi及蓝牙接收机

DNR935WBT



革命性的车载体验

内置APP设想
内置最大化



Wi-Fi Hotspot
Wi-Fi Hotspot
你可以使用你的手机
或者无线路由



重点特性 2 建立云服务道路选择器，www.kenwoodroutecollector.com

道路选择器

由Google Maps和Dropbox联合推出，你可以获取最新的POI，也可以在出发前设定你的目的地，你还可以在驾驶过程中欣赏云音乐流

iOS应用程序“道路选择器”
可以免费下载



*Available for DNR9350BT only.

重点特性 3 安卓、iPhone“True Mirroring”，一个新的智能手机连接角度

True Mirroring
让你可以在高品质音质情况下实时查看手机的显示内容，是时候提升你的车载娱乐系统了



Android True Mirroring


使用安卓手机需要连接的附件
使用三星GALAXY S4 mini



1 Samsung MHL11 Pin转SPD转接头
仅三星需求

iPhone True Mirroring

使用苹果手机iPhone5/5c/5需要连接的附件



1 Apple Lightning 数字适配器
2 通过Lightning转USB线
3 RCA-HDMI线
4 RCA-HDMI 传输音视频

多媒体产品线

"True Mirroring" DDX 多媒体产品线

丰田200mm内置蓝牙True Mirroring AV接收机
DDX635WBT



7.0 inch
200mm
WIDE VGA Screen

内置蓝牙, True Mirroring AV接收机
DDX7035BT



7.0 inch
WIDE VGA Screen

内置蓝牙, True Mirroring AV接收机
DDX5035BT



6.1 inch
WIDE VGA Screen

DDX 标准产品线

内置蓝牙AV接收机

DDX3035BT



6.1 inch
WIDE VGA Screen

重点特性 1 安卓、iPhone"True Mirroring" 一个新的角度连接智能手机

True Mirroring

让您在优秀音质的前提下实时查看您的GALAXY或iPhone上的显示内容
是时候提升您的驾车感受了



使用安卓手机需要连接的附件
*使用三星GALAXY S4R53

- 1 Samsung NML11P Pin转SPin适配器, 仅三星需求
- 2 建伍MHL-HDMI线材, RCA-MHL100 传输音频及视频




使用苹果iPhoneS/5C/5需要连接的附件

- 1 Apple Lightning 数字适配器
- 2 建伍Lightning转USB线, KCP-AP103 充电
- 3 建伍HDMI线, KCP-HD100 传输音视频

重点特性 2 建伍超值AV接收机DDX是高品质套表的边缘产品

完美均衡控制

建伍Drive EQ自动调整7段参量均衡, 在行车过程中创建完美的听音环境



升级搭配

超值DDX可以完美搭配Performance系列功放及扬声器



High Voltage
4.0V
3 Preouts

重点特性 3 美观、实用的图形用户界面

用户定制背景

你可以选择8种GUI背光颜色, 也可以选择你喜欢的照片作为背景



简易控制模式

你可以在常规控制模式和简易控制模式中选择音乐、收音的控制模式

常规模式

简易模式



DDX 限制市场产品

AV 接收机

DDX1035

专为iPod/iPhone制造 (音乐播放)



6.2 inch
WIDE VGA Screen
1A High Current
Front USB

AV 接收机

DDX3035

无蓝牙版本 DDX3035BT



6.2 inch
WIDE VGA Screen
1A High Current
Front USB

高级蓝牙、运动设计

DDX3035BT是入门级AV接收机的标杆产品



7.0 inch
200mm
WIDE VGA Screen


多媒体产品线

内置Garmin, AV导航接收机产品线

内置蓝牙, AV导航接收机
DNX535VBT
完美匹配大众车型



内置蓝牙, AV导航接收机




DNX5350BT

GARMIN



内置Garmin, 最可靠的导航解决方案



带True Mirroring功能的DNX系列

单DIN接收机产品线

DVD接收机
KDV-MP5343U



DVD接收机
KDV-U4349



直接OEM方向盘盘控制功能


不需要额外购买方向盘盘控制器, 适配于大多数日韩系车型

TOYOTA (20P)	TOYOTA (28P)	TOYOTA (26P)	TOYOTA (10P+6P)	HONDA (20P-B)
Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色
HONDA (20P-A)	HONDA (24P)	NISSAN (16P-A)	NISSAN (20P)	NISSAN (16P-B)
Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: 紫色 ST REMOTE GND: 灰色
MITSUBISHI (20P)	MAZDA (24P)	SUBARU (20P)	SUBARU (8P)	SUZUKI (20P)
Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色
ISUZU (16P)	HYUNDAI / KIA (24P-A)	HYUNDAI / KIA (24P-B)		
Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色	Input 1: 绿色 Input 2: NC ST REMOTE GND: 灰色		

以上各车型的线束由JVC建伍亚洲总部提供, 可能不涵盖所有车型, 请核实您所在地的线束连接确定更详细的信息

*以上各车型的信息是由JVC建伍亚洲总部提供

*方向盘盘控制线 (包含在主机内)



*如何查看方向盘盘控制接口

上面所显示的所有控制接口都是车辆本身的接口, 即为箭头指向的角度

1) 在音响主机部位查找和上面显示图片相同的接口
2) 按照图示的颜色连接方向盘盘控制线

如何进入方向盘盘控制界面

ex) DNN9350BT



1 按下此图标
2 按下“设置”
3 选择“系统”
4 选择“用户界面”
5 选择“方向盘盘控制”



如何匹配控制功能



多媒体产品综述

特性比较及连接表

网络接收机特性比较		Remote Control	Built-in Wi-Fi	Built-in Garmin	Kenwood Cloud	Screen	Android Smartphone*	iPhone 5S, 5C and 5	iPhone 4S and Earlier	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	USB Video Format	Tuner	Direct OEM Steering Remote	AV In/Out Camera Input	Audio Preout	Audio Features
DNB33S0BT		RC-DV331	WIFI	GARMIN	Set your phone on trip before your drive	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-HD103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear Dual USB (1A & 500mA)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Front & Rear Camera In	5.0V / 3 Preouts	13 Band EQ Digital Time Alignment
DNB803S8T		RC-DV340	WIFI	-	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP102 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Front & Rear Camera In	5.0V / 3 Preouts	13 Band EQ Digital Time Alignment
DNB833S8BT		RC-DV340	WIFI	-	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Front & Rear Camera In	5.0V / 3 Preouts	13 Band EQ Digital Time Alignment

AV接收机特性比较		Remote Control	Built-in Wi-Fi	Built-in Garmin	Kenwood Cloud	Screen	Android Smartphone*	iPhone 5S, 5C and 5	iPhone 4S and Earlier	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Siri"	USB Port	USB Video Format	Tuner	Direct OEM Steering Remote	AV In/Out Camera Input	Audio Preout	Audio Features
DDX633S8BT		RC-DV340	-	KNA-G630 Ready	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Rear Camera In	4.0V / 3 Preouts	7 Band EQ Digital Time Alignment
DDX703S8T		RC-DV340	-	KNA-G630 Ready	-	7.0inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Rear Camera In	4.0V / 3 Preouts	7 Band EQ Digital Time Alignment
DDX803S8T		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Rear Camera In	4.0V / 3 Preouts	7 Band EQ Digital Time Alignment
DDX803S8BT		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED Capacitive Type Reverse Tilt	KCA-MH100 (see the below chart)	KCA-IP103 (see the below chart)	KCA-IP202 (AV) (supports only music)	Music Streaming	External Microphone	Yes via USB	Siri Eyes Free	Rear USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM		1/1 Rear Camera In	4.0V / 3 Preouts	7 Band EQ Digital Time Alignment
DDX803S5T		RC-DV340	-	KNA-G630 Ready	-	6.1inch Wide VGA LED Capacitive Type Reverse Tilt	-	KCA-IP103 (supports only music)	KCA-IP22F (AV) (supports only music)	Music Streaming	-	-	-	Front USB (1A)	MPEG1, 2 / JPEG	FM / RDS / AM		1/1 Rear Camera In	4.0V / 3 Preouts	3 Band EQ
DDX103S		RC-DV700	-	-	-	6.2inch Wide VGA LED Capacitive Type Reverse Tilt	-	KCA-IP103 (supports only music)	KCA-IP202 (AV) (supports only music)	Music Streaming	-	-	-	Front USB (1A)	MPEG1, 2 / MPEG4 / H.264 / WMV / JPEG	FM / RDS / AM	-	1/1 Video Out Rear Camera In	2.0V / 3 Preouts	3 Band EQ

*1 Works with the Android Smartphone which supports MHL spec.

多媒体产品附件

True Mirroring

安卓智能手机需求附件
In case of Samsung Galaxy S4 and S3.

- 三速 MHL 11pin 5pin 适配器。
*仅 Galaxy 需要此配件
- KENWOOD MHL-HDM 线缆
传输音频/视频及充电

苹果手机需求附件

- 苹果 Lightning 数字 AV 适配器
- Kenwood Lightning 转 USB 线
KCA-MH100 充电

iPhone 4S 及更早机型

KCA-IP202
iPhone / iPod Audio / Video Cable

KCA-IP22F
iPhone / iPod Audio / Video Cable

KCA-IP102
iPhone / iPod Audio Cable

后视镜摄像头

CMOS-320
Multi View Rear Camera

CMOS-220
Rear Camera

KNA-G630
Hide-away Navigation System for DDX

KTC-V300P/N
PAL / NTSC Analogue TV Tuner

KCA-BT300
Bluetooth Unit(HFP / A2DP / SMS)

CA-C3AV
AV RCA Mini-jack Cable for Front AV-Input

导航模块、电视接收器及其他

音响产品

双USB CD接收机 “高端系类”

内置蓝牙，双USB&CD接收机
KDC-X700BT



The Most Advanced Kenwood CD Receiver, Ever.



数字接收机（无CD机芯）“高端系类”

内置蓝牙，双USB接收机
KMM-X50BT



专为智能手机用户设计



丰富的接口



快速音乐检索
文件夹向上/
向下专属按键
蓝牙专属按键
电话本专属按键



双USB CD接收机
KDC-X400



KDC-X700BT和KDC-X400的共同特性
双USB，丰富的接口



高音质特性



音乐和文件夹搜索专属按键



防尘CD盖板



双USB，数字接收机
KMM-X30



USB接收机 红色精英
KMM-X10



Mass Storage USB & CD Receiver

KDC-U259B 蓝色按钮背景灯



音乐和文件夹搜索专属按键

便捷使用的设计

13位大字体显示



KDC-U259A 琥珀色按钮背景灯



KDC-U259R 红色按钮背景灯



KDC-U259G 绿色按钮背景灯



iPod USB & CD Receiver

KDC-U359W 白色 按钮背景灯



Built-in Bluetooth, iPod USB & CD Receiver

KDC-U559BT 可变色背景灯



KDC-U2598系列、U359系列和KDC-U559BT，共同特性。

自动 EQ.



KDC-U359B 蓝色按钮背景灯



双低音产品“DPX”系列

内置蓝牙、双USB&CD接收机

DPX-U5130BT



非内置蓝牙版本
DPX-U5130



漂亮外观设计，包含先进技术



共同特性



内置蓝牙、双USB&CD接收机，高Hi-Fi音质

内置蓝牙、双USB&CD接收机
KDC-U7056BT



防尘CD盖



前置AUX CD接收机

MP3 / WMA CD Receiver

KDC-MP249A 琥珀色按钮背景灯



MP3 / WMA CD Receiver

KDC-MP149 红色按钮背景灯



CD Receiver

KDC-1535 红色按钮背景灯



接收机特性比较																
USB & CD Receiver																
Remote Control	Display	Variable Color Key Illumination	Built-in Bluetooth	Bluetooth Microphone	iPhone Automatic Bluetooth Pairing	Voice Control by using "Sir"	USB Port	iPhone5S, 5C and 5	iPhone 4S / 4 and Previous	USB Audio Format	Tuner	OEM Steering Remote	AUX Input	Audio Preset	Audio features	
					Yes via USB			KCA-iP103	KCA-iP102	WMA / MP3 / AAC / WAV	FM / AM	Ready	Front	4.0V / 3 Presets	13 Band EQ Digital X-over Digital Time Alignment	
					Yes via USB			KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	4.0V / 3 Presets	5 Band EQ	
					-	-		KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	4.0V / 3 Presets	5 Band EQ	
					Yes via USB			KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Presets	3 Band EQ	
					-	-		KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Presets	3 Band EQ	
					-	-		KCA-iP103	KCA-iP102	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Presets	3 Band EQ	
					-	-		-	-	WMA / MP3 / WAV	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Presets	3 Band EQ	

*1 Remote Control is optional in China.

接收机特性比较																
Digital Media Receiver (Non CD Transport)																
	Remote Control	Display	Variable Color Key Illumination	Built-in Bluetooth	Bluetooth Mic	iPhone Automatic Bluetooth Pairing	Voice Control by using Siri	USB Port	iPhone5S, 5C and 5	USB Audio Format	Tuner	OEM Steering Remote	AUX Input	Audio Preset		Audio features
KMM-X508T		13-Digit LCD Display			 External Microphone	Yes via USB	 Siri Eyes Free	 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 2 Presets		3 Band EQ
KMM-X300		13-Digit LCD Display		-	-	-	-	 Front & Rear USB (1A)	KCA-iP103	KCA-iP102	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 1 Preset		3 Band EQ
KMM-X10		13-Digit LCD Display	-	-	-	-	-	 Front USB (1A)	-	-	FM / RDS / AM and Short Wave	Ready	Front	2.5V / 1 Preset		3 Band EQ

接收机特性比较																
Dual Din, USB & CD Receiver																
		13-Digit + Clock LCD Display		 Music Streaming	 External Microphone	Yes via USB	 Siri Eyes Free	 Front USB (1A)	KCA-IP103	KCA-IP102	WMA / MP3 / AAC / WAV	FM / AM and Short Wave	Ready	Front	2.5V / 3 Presets	3 Banded EQ
		13-Digit + Clock LCD Display		—	—	—	—	 Front USB (1A)	KCA-IP103	KCA-IP102	WMA / MP3 / AAC / WAV	FM / AM and Short Wave	Ready	Front	2.5V / 2 Presets	3 Banded EQ

音响产品附件



For iPhone 5S, 5C and 5

KCA-iP103

iPhone 4S 或者更早

KCA-iP102

Remote Controller KCA-RC406

X Series
The Flagship

5声道数字功放
XR900-5

5ch

超小型并且超薄，可以满足
复杂的安装环境。
革命性的5声道数字功放。

1800W
MAX Power
60W x 4
+ 400W

Wide 260mm
Depth 169mm
Height 51mm

X系列产品和特性

MAX Power	XR900-5 D Class, 5ch	XR400-4 D Class, 4ch	XR600-1 D Class, Mono
RMS Power at 20Hz	75W x 4 + 400W	100W x 4	600W x 1
RMS Power at 40Hz	60W x 4 + 400W	75W x 4	400W x 1
Bridged	High/Low Pass Filter	Bi-Amp Connection	
Speaker (High) Level Input	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)	50 - 200 Hz or 2.5k - 10k Hz (-12 dB) / (oct.)	- / 50 - 200 Hz (-24 dB) / (oct.)
Dimensions	(W)280x(H)51x(D)169	(W)220x(H)38x(D)169	(W)220x(H)35x(D)169

HQR Series
The Power of Sound

卓越表现力
高等级产品

Performance Series

高性价比表现
力的音响系统

E Series

升级原车系统
喇叭的选择

大尺寸套装喇叭
XR-1800P

180mm的大尺寸音盆+30mm的高音头。
高表现力的套装喇叭。

330W
MAX Power
Includes Multi Brackets for Easier Installation

12寸超薄低音炮
KFC-WPS1200F

为了满足各种安装环境，
超薄低音炮是解决方案。

1400W
MAX Power
350W

MAX Power	XR-1800P 18cm Component Speaker	KFC-WPS1200F 30cm / 12inch Subwoofer	KFC-WPS1000F 25cm / 10inch Subwoofer	KFC-XW800F 20cm / 8inch Subwoofer
Peak Power	330W	1400W	1000W	600W
RMS Power at 4 ohms	110W	350W	250W	150W
Frequency Response	57 Hz - 20k Hz	30 Hz - 700 Hz	35Hz - 800 Hz	40 Hz - 500 Hz
Mounting Depth	62mm	100mm	85mm	70mm

5声道功放
KAC-HQR9500

5ch

强劲，持久的5声道功放。

1200W
MAX Power
40W x 4
+ 300W

Wide 324mm
Depth 187mm
Height 55mm

HQR系列产品和特性

MAX Power	KAC-HQR9500 D Class, 5ch	KAC-HQR9400 AB Class, 4ch	KAC-HQR8400 AB Class, 4ch
RMS Power at 20Hz	50W x 4 + 500W	70W x 2 + 100W x 2	90W x 4
RMS Power at 40Hz	40W x 4 + 300W	60W x 2 + 100W x 2	60W x 4
Bridged	100W x 2 + 300W	60W x 2 + 300W	100W x 2
High/Low Pass Filter	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)
Speaker (High) Level Input	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)	50 - 200 Hz (-12 dB) / (0 dB) / (24 dB) / (oct.)
Dimensions	(W)324x(H)55x(D)187	(W)324x(H)55x(D)187	(W)330x(H)55x(D)215

7*10寸，3路扬声器
KFC-HQ718

12寸超低音
KFC-HQR3000

传奇的7*10寸，感受KENWOOD的真谛魅力

600W
MAX Power
Ultra High Performance Sound

320W
MAX Power
Ultra High Performance Sound

震撼大地的低音炮

1500W
MAX Power
500W

500W
MAX Power
Efficient Voice Coil Cooling Structure

MAX Power	KFC-HQR7100 7x10inch 3Way Speaker	KFC-HQ718 7x10inch 3Way Speaker	KFC-HQR1600 16cm 3Way Speaker	KFC-HQR3000 30cm / 12inch Subwoofer
Peak Power	600W	400W	400W	1000W
RMS Power	150W at 4 ohms	80W at 4 ohms	100W at 4 ohms	500W at 4 ohms
Frequency Response	65 Hz - 20k Hz	28 Hz - 30k Hz	65 Hz - 20k Hz	30 Hz - 500 Hz
Mounting Depth	87.5mm	62mm	61mm	135mm

